



## Pulse, circular and sector sprinkler PS 300

The pulse, circular and sector sprinkler PS 300 is suitable for watering medium-sized to large areas and gardens. Covers up to 706 m<sup>2</sup>.



### 1 Adjustable spray angle

- e.g. for watering under trees

### 2 Robust spike for uneven or sloping underground

- Guaranteed stability and robustness



## Pulse, circular and sector sprinkler PS 300

| Technical data              |    |                    |
|-----------------------------|----|--------------------|
| Order no.                   |    | 2.645-023.0        |
| EAN code                    |    | 4039784289062      |
| Water volume                |    | 18,5 l/min         |
| Sprinkling diameter (2 bar) |    | ≤ 25 m             |
| Sprinkling diameter (4 bar) |    | ≤ 30 m             |
| Sprinkling area (2 bar)     |    | 490 m <sup>2</sup> |
| Sprinkling area (4 bar)     |    | 706 m <sup>2</sup> |
| Weight                      | kg | 0.13               |
| Weight incl. packaging      | kg | 0.17               |
| Dimensions (L x W x H)      | mm | 52 x 113 x 212     |

# PULSE, CIRCULAR AND SECTOR SPRINKLER PS 300

## 2.645-023.0



|                                         |   | Order no.   |  |  |  |  | Price | Description                                                                                                                                                                                                              |                          |
|-----------------------------------------|---|-------------|--|--|--|--|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| <b>Hoses</b>                            |   |             |  |  |  |  |       |                                                                                                                                                                                                                          |                          |
| PrimoFlex® hose 1/2" - 20 m             | 1 | 2.645-138.0 |  |  |  |  |       | The PrimoFlex® (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar. | <input type="checkbox"/> |
| <b>Hose connection systems</b>          |   |             |  |  |  |  |       |                                                                                                                                                                                                                          |                          |
| Universal Hose Connector with Aqua Stop | 2 | 2.645-192.0 |  |  |  |  |       | Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.                                                                                                                                        | <input type="checkbox"/> |
| G3/4 tap adaptor with G1/2 reducer      | 3 | 2.645-006.0 |  |  |  |  |       | Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.                                                                | <input type="checkbox"/> |
| Universal Hose Connector                | 4 | 2.645-191.0 |  |  |  |  |       | Ergonomically designed universal hose coupling for convenient handling.                                                                                                                                                  | <input type="checkbox"/> |

☐ Available accessories.