



Pulse, circular and sector sprinkler PS 300

The pulse, circular and sector sprinkler PS 300 is suitable watering medium-sized to large areas and gardens. Covers up to 706 m2.





1 Adjustable spray angle

- e.g. for watering under trees
- 2 Robust spike for uneven or sloping underground
- Guaranteed stability and robustness

TECHNICAL DATA AND EQUIPMENT





Pulse, circular and sector sprinkler PS 300

Technical data		
Order no.		2.645-023.0
EAN code		4039784289062
Water volume		18,5 l/min
Sprinkling diameter (2 bar)		≤ 25 m
Sprinkling diameter (4 bar)		≤ 30 m
Sprinkling area (2 bar)		490 m²
Sprinkling area (4 bar)		706 m ²
Weight	kg	0.13
Weight incl. packaging	kg	0.17
Dimensions (L x W x H)	mm	52 × 113 × 212

PULSE, CIRCULAR AND SECTOR SPRINKLER PS 300 2.645-023.0











		Order no.		Price	Description
Hoses					
PrimoFlex* hose 1/2" - 20 m	1	2.645-138.0			The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.
Hose connection systems					
Universal Hose Connector with Aqua Stop	2	2.645-192.0			Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.
G3/4 tap adaptor with G1/2 reducer	3	2.645-006.0			Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.
Universal Hose Connector	4	2.645-191.0			Ergonomically designed universal hose coupling for convenient handling.

[☐] Available accessories.